#### **OVERVIEW**

The barrier island plan is authorized by the Coastal Wetlands Planning, Protection, and Restoration Act (CWPPRA). The purpose of this study is to determine whether the Louisiana barrier shoreline provides significant protection to Louisiana's coastal resources. If the study proves that the barrier shoreline provides these significant benefits, then this study will develop the most cost effective method to maximize those benefits.

The three year barrier island feasibility study is divided into three phases based on geographical location. Phase 1 is located between the Atchafalaya and Mississippi Rivers. Phase 2 encompasses the cheniere plain barrier formations in Vermilion and Cameron Parishes. Phase 3 focuses on the Chandeleur Islands. Phase 1 is the area currently being studied.

The project is structured to reach an implementation plan by starting from a broad descriptive analysis and gradually becoming more site-specific and detailed as the steps proceed. Each resource study or island option plan begins with some type of qualitative assessment and progresses to a more detailed quantitative analysis. For example: Step C will qualitatively focus on the status and trends of resources for the broad study area; whereas, Steps E and F will quantitatively assess and inventory the existing environmental and economic resources respectively. Also, Step I is a general evaluation of the needs and problems in the study area and development of management alternatives. Later, Step L will define the preferred plan criteria and chose a recommended implementation plan from the management alternatives developed in Step I, based on the quantitative assessments made in Steps J and K.

The first report completed for the barrier island feasibility study is Step A, which reviews prior studies, reports, and existing projects that pertain to the study's purpose, scope, and area. Step A also identifies and describes existing and potential barrier island and wetland restoration projects that affect the Phase 1 area. Step A is an overall orientation for the team on the project area. The literature review ensures that the team is knowledgeable and familiar with the most current literature available on the barrier islands and is using the most up-to-date information throughout the overall study.

Step B is also completed and contains a conceptual and quantitative framework for the barrier island study. The conceptual framework describes the functions and processes affected by

barrier islands and the potential impacts on the significant resources in the study area. The significant resources include economic, cultural, recreational, and land-use resources. Step B also contains a review of the available methods for quantitatively predicting the effects of the barrier islands on environmental and economic resources. This information outlines the general study area for the team and describes the methodology that will be used in Step G to forecast physical and hydrological changes.

Step C provides qualitative assessments of the status and trends of the resources in the project area. A general study area map from Step B defines the area influenced by the barrier islands for the purposes of the Step C general resource assessment. These assessments include economic, social, cultural, water, biological, recreational, and land resources. In addition, the climatology, hydrology, and geological processes are analyzed with regard to their status and trends within the study area. Historical land losses are documented, as well as natural and human contributors to barrier island and wetland change. This information is gathered to demonstrate the characteristics of the study area and to show the resources at risk due to the loss of the barrier shoreline. It also orientates the team to the area and ensures the team will consider these resources in later steps.

Step D is a quantitative inventory of the physical parameters that are used to forecast changes in the economic and environmental resources. Step D involves delineating zones of environmental and economic analysis in the general study area described in Step B. The zones are designated using the Hurricane Andrew storm surge as criteria. The physical process parameters (waves, wind, sea level, sediment transport, etc.) and the geomorphic parameters (surficial sediments, topography, bathymetry) are identified, including data sources, type and quality of data, and any inconsistencies or "gaps" in the data. This information will be used as input for the modeling and forecasting effort in Step G. The results of Step D allow the team to evaluate the proposed modeling effort as outlined in Step B.

Step E provides a quantitative inventory and assessment of existing environmental resource conditions, with an emphasis on those resources considered significant. The team developed the criteria for determining "significant" environmental resources. Wildlife habitats, breeding grounds, and endangered species refuges are among those resources that have been assessed. Step E includes historical habitat/wetland change maps and describes the land loss rates

and their associated changes. These data will be used to forecast the impact of the no-action scenario for environmental resources.

Step F is a quantitative inventory and assessment of existing economic resource conditions. This includes all structures, facilities, farmland acreage, and public resources (roads, channels, bridges, etc.) that are susceptible to the consequences of wetland/land loss, shoreline erosion, or hurricane induced flooding. The value of these economic resources and their residual worth will be included in the assessment. Historical damage and losses caused or induced by oil spills, waves, wetland/land loss, and shoreline erosion will also be evaluated. These data will be used to forecast the impact of the no-action scenario on economic resources.

The forecasted trends of physical and hydrological conditions were presented in Step G. A 30 and 100 year forecast of the present and future physical conditions was modeled, showing the effects of a no-action scenario. The study was conducted using the methods described in the Step B report and the data specified in the Step D report. Bathymetry and topography, waves, tides, storm surge, and other factors that affect the economic and environmental resources was forecasted.

The effects of "No Action" on economic and environmental resource conditions are forecasted in Step H. The environmental analysis was previously delivered. This report discusses the impact on economic resources. In this report, the team analyzed the impacts of changing hydrologic and wetland conditions. These impacts are then quantified in economic terms. The team will use this information as a baseline to compare other alternatives.

In Step I, the team identified the options to be evaluated. This process will proceed through Steps J, K, L, and M. The later steps involve the identification and explanation of the preferred alternative(s). Step I involved identifying the problems, needs, and opportunities of the study area and developing strategic options. Options were considered on an island-chain spatial scale. These options include restoring a historical island configuration, establishing a fall back line, no-action alternative, preserving present-island configurations, strategic retreat, and other possible options. A general assessment of engineering, environmental, economic, and social factors regarding strategic option implementation was considered. An array was built comparing the different options with these factors. Those options that could not be implemented because of

cost, long-term effects, or other conditions were rejected. The remaining options became management alternatives to be analyzed in greater detail in Step J.

Step J is the assessment of management alternatives. The most important input for Step J is the identification of the specific management alternatives found in the Step I report. Step J includes qualitative and quantitative assessment of the management alternatives. This step includes a more detailed analysis of the effects of the proposed management alternatives on the environmental and economical resources of the area. For example, if a management alternative being investigated in Step J is a 1930 island configuration, then in Step J the increased flood protection potential from hurricanes by virtue of the size increase of the barrier islands will be described. That protection estimate will be an approximate dollar estimate and not a general assessment as was done in Step I. The output for Step J will be a detailed assessment of the effects of the management alternatives on the resources in the area. Resources include environmental, economical, and social. Where possible, the effects on resources will be quantified. The report should be based on a thirty year projection into the future and compared to the no action scenario.

Step K involved identifying and assessing possible management and engineering techniques for the management alternatives developed in Step I. Step K assessed the engineering techniques that may be used to implement the management alternatives identified in Step I.

Long-term impacts were used to assess the effectiveness of the various engineering and management techniques. This step determined possible use of beach fill, coastal structures, and possible regulatory controls that will provide optimal design life and cost effectiveness. Dune crest height and berm and beach slopes were determined for limiting wave runup and overtopping. Volumes of beach fill were calculated after the beach and dune configurations are established. In addition, borrow site identification and assessment were completed. This will determine the cost, quantity available, and methodology for using various borrow sites for material if needed. The output for Step K was the general applicability, cost, and impacts of various engineering alternatives.

Step L will be a description of the rationale for selecting a preferred plan. The criteria will be based upon the detailed assessments made in Steps J and K to develop a cost/benefit relationship. Step J will supply the benefits for each management alternative, while Step K details the cost. The selected management alternative and associated engineering and management

techniques will be developed to form preliminary plans and cost estimates. Included will be all beach fill and coastal works concepts, sources of material, and cost of maintenance and monitoring.

In Step M, the team will select the preferred plan based on the criteria described in Step L. The team will then describe the methodology for instituting permitting, right-of-way/construction agreements, final engineering design, bidding, construction, mitigation, monitoring and maintenance. The preferred island configuration will be presented with potential structures, beach fill, dune restoration, and protection plans. Preferred sand sources and the effect of removing the sand will also be detailed. The Step M report will outline time, cost, and regulatory parameters.

Step N is a consolidation of all deliverables into one final report document. This final report will summarize the information provided in all previous documents.

#### **FOREWORD**

The purpose of this study is to assess and quantify wetland loss problems linked to protection provided by the barrier shoreline system along the Louisiana coast. The study will identify potential solutions to these problems, provide an economic evaluation, and determine the barrier configuration which will best protect Louisiana's coastal resources from wind/wave activity, saltwater intrusion, and oil spills.

In order to accomplish the desired goals and objectives, the study team, thus far, has completed the following steps of the study:

- Phase 1 Step A A Review of Pertinent Literature
- Phase 1 Step B Conceptual and Quantitative System Framework
- Phase 1 Step C Assessment of Resource Status and Trends
- Phase 1 Step D Quantitative Inventory and Assessment of Physical Conditions and Parameters
- Phase 1 Step E Inventory and Assessment of Existing Environmental Resource Conditions
- Phase 1 Step F Inventory and Assessment of Existing Economic Resource Conditions
- Phase 1 Step G Forecasted Trends in Physical and Hydrological Conditions
- Phase 1 Step H Forecasted Trends in Environmental Resource Conditions
- Phase 1 Step I Formulation and Assessment of Strategic Options
- Phase 1 Step K Identification and Assessment of Management and Engineering Techniques

This Phase 1 Step H Report is focused Forecasted Trends in Economic Resource Conditions. The TBS team analyzed the results of the hydrologic and wave modeling and interpreted those results for their impact on the economic resources in the study area. Economic resources analyzed include public and private structures, roads, oil and gas infrastructure, water supplies, and wetlands, as well as other resources.

The following is the list of personnel who have contributed to the study:

#### T. Baker Smith & Son, Inc.

Wm. Clifford Smith, P.E., P.L.S.

Marc J. Rogers, Sr., P.E.

Stephen C. Smith, J.D.

Stephen A. Gilbreath, M.S.

Donald W. Davis, Ph.D.

Stephen Farber, Ph.D

#### Coastal Engineering and Environmental Consultants, Inc.

Oneil P. Malbrough, Jr., REM

Subrata Bandyopadhyay, Ph.D.

Murali M. Dronamraju, Ph.D., MBA

#### **Applied Technology Research Corporation**

Lawrence S. McKenzie, III, M.S.

Lorna Guynn

#### **Louisiana State University**

Mark R. Byrnes, Ph.D.

Randolph A. McBride, M.S.

Denise J. Reed, Ph.D.

Gregory W. Stone, Ph.D.

Joseph N. Suhayda, Ph.D.

Bruce A. Thompson, Ph.D.

# TABLE OF CONTENTS

			Page	
Execu	ıtive Suı	mmary	1	
1.0.	Introd	duction	4	
2.0.	Hydro	ologic Regimes	7	
3.0.	Wetla	ands Losses	17	
4.0.	Flood Damages to Structures			
	4.1.	Flood Damage Data	22	
	4.2.	Flood Damage Estimates	24	
	4.3.	Using Flood Damage Estimates for Evaluating Increased Costs		
		Under No Action	28	
5.0.	Other Cost Impacts of Barrier Island Projects			
	5.1.	Oil and Gas Infrastructure	32	
		5.1.1. Barrier Island Pipeline Reburial Costs	33	
		5.1.2. Wetlands Pipeline Reburial Costs	34	
		5.1.3. Oil and Gas Wells and Related Structures	36	
		5.1.4. Oil and Gas Refineries and Processing Plants	38	
	5.2.	Highway and Street Maintenance	40	
	5.3.	Water Supply	43	
	5.4.	Agricultural Crop Flood Damages	45	
6.0.	Sumn	mary of Benefits of Project Alternatives	48	
7.0	Refer	rences	53	

### LIST OF TABLES

	Page
Table 1.	Present Value of Commercial Fishery Losses Due to Wetlands
	Loss Under No Action (\$1000's)19
Table 2.	Present Value of Recreational Fishery Losses Due to Wetlands
	Loss Under No Action (\$1000's)21
Table 3.	Predicted Flood Damage Costs to Structures from 90.5W Storm,
	Under Current Conditions and No Action
Table 4.	Predicted Flood Damage Costs to Structures from 90.5W Storm,
	Under Current Conditions and No Action28
Table 5.	Expected Cost Increases from Type V Storm Flood Damages Under
	No Action Compared to Current Conditions, Using Median
	Expected Damages30
Table 6.	Expected Barrier Island Pipeline Reburial Costs for No Action
	Compared to Current Conditions34
Table 7.	Expected Wetlands Pipeline Reburial Costs for No Action Compared
	to Current Conditions
Table 8.	Expected Well Platform Construction Cost Increases for Anticipated
	Bayside Wells Under No Action Compared to Current
	Conditions38
Table 9.	Expected Increases in Highway and Street Maintenance Costs from
	Flooding Under Type V Storm, No Action Compared to Current
	Conditions (\$1000's)41

Table 10.	Increased Water Supply Costs Under No Action Compared to		
	Current Conditions (\$1000's)44		
Table 11.	A Summary of Cost Increases to the Study Area of No Action		
	Compared to Current Conditions		

## LIST OF FIGURES

Figure 1.	The Eleven Parish Study Area6
Figure 2.	Tidal Surge Flood Depths Under Present Barrier Configuration With 90.5W Storm, (0-15' Flood Elevations Only)
Figure 3.	Zoom of Tidal Surge Flood Depths Under Present Barrier Configuration With 90.5W Storm, Showing Terrebonne and
	Lafourche Parish Census Tracts, )0-10' Flood Elevations Only)12
Figure 4.	Increases in Flood Depth in 100 Years Compared to Current Flood Depths Under No Action (90.5W Storm), Showing
	Terrebonne and Lafourche Census Tracts
Figure 5.	Increases in Flood Depth in 100 Years Under No Action Compared to Current Flood Depths in 91.5W Storm
Figure 6.	Areas Newly Flooded By 90.5W Storm in 100 Years Under  No Action, But Not Currently Flooded in 90.5W Storm
Figure 7.	Areas Newly Flooded By 91.5W Storm in 100 Years Under  No Action, But Not Currently Flooded in 91.5W Storm
Figure 8.	Streets Likely to be Newly Flooded by 90.5 or 91.5W Storms  Under No Action but not Flooded Under Current Storm42
Figure 9.	Agricultural Areas Likely to be Newly Flooded by 90.5W or 91.5W  Storm Under No Action But Not Flooded Under Current Storm47